	WOLSELEY						
	Part #	Pcs	Finish	Years	Model &	Details 	Identifying Features
	PRE-1	948	CARS				
*	WY2c	5	ВВ	-34-	Hornet		RHD 6 Cylinder * DC Available
*	WY3c	1	BB	34/35	Nine & Wasp		* DC Available
*	WY5c	3	BB	36	10/40	Series 2 210/501 -	With Third Brush Control. Separate Ignition Controlled FuseBox *DC
*	BC 120	1	В	36	10/40	Series 2	Battery Link Lead
*	BC 121	1	В	36	10/40	Series 2	Battery to Solenoid Lead
*	WY6c	4	BB	38/48	Ten	Series 3 310/501 - 8376	* DC Available
*	WY5c	1	ВВ	36/37	12/48	Series 2 212/501 -	With Third Brush Control Separate Ignition Controlled FuseBox *DC
*	WY35c	3	BB	37	12/48	Series 2 212/501 -	With Solenoid Operated Starter Switch, Voltage Regulator and Junction Box *DC
*	WY40c	2	ВВ	38/48	12/48	Series 3 312/501 - 15300	With Pass Lamp System * DC
	WY25c	1	ВВ	35	Fourteen	35/6 NF501 - on	With Light Switch on Panel Dynamo on Offside Starter on Nearside *DC
*	WY50c	7	BB	36/37	14/56	Series 2 214/501 - on	With Manually Operated Starter Switch, Twin Horns and Twin Fog Lamps *DC
		0.40	CARG		1		
	PRE-1	948	CARS (Cont'	a)		
*	BC15	4	В	36/37	14/56	Series 2	Battery Lead Set with Conduit
*	WY49c	1	BB	38/48	14/56	Series 3 314/501 - 11200	With Manually Operated Starter Switch, Twin Horns and Fog Lamps *DC
*	WY51c	3	ВВ	38/48	14/60	Series 3 314/501 - 11200	With Pass Lamp *DC
*	WY71c	2	BB	37/48	Super Six Sixteen	Series 3 316/501 - 10290	With Pass Lamp and Fog Lamp *DC
*	WY69c	1	BB	35/37	Super Six TwentyOne	Series 2 221/501 -	With Manually Operated Starter Switch, Twin Horns and Twin Fog Lamps *DC
I _W	olseley	I				I	Page 1

	WOLSELEY								
	Part #	Pcs	Finish	Years	Model &	Details	Identifying Features		
*	WY71c	2	BB		Super Six TwentyOne	Series 3 325/501 -	With Pass Lamp *DC		
*	WY70c	2	ВВ	35/37	Super Six TwentyFive	Series 2 225/501 -	*DC Available		
*	WY71c	2	ВВ	38/48	Super Six TwentyFive	Series 3 325/501 -	With Pass Lamp *DC		
*	WY83c	2	BB	-38-	Twenty Five	Series 3 RHD DHC	*DC Available Conduit Only Fitted if Supplied		
*	WY72c	2	BB	47/48	Twentyfive	Series 3	Limousine		
*	WY62c	2	BB	37	18/80	Series 2 218/501 -	With Manually Operated Starter Switch, Twin Horns and Twin Fog Lamps *DC		
L									
	PRF-19	948	CARS (Cont'	d)				
*	WY80c	2	BB		16/65 & 18/85	Series 3			
*	WY10c	2	ВВ	46/48	Eight Series 3	308/501 upto 5844	* DC Available		
	POST -	194	48 CAR	S		I			
*	WY12c	10	XB	48/50	4/50	412/501	Upto 3301		
*	WY15c	4	BB	51/53	4/50	3302 -			
*	WY16c	3	BB	53/56	4/44	501 -	Diagram W 23581		
*	WY22c	3	ВВ	56/57	15/50	30501 - on	With Trafficators		
*	WY23c	5	РВ	57/58	15/50	34680 - on	With Trafficators and Regulator on L/H Side		
	353	4	XB	58/60	15/60	W/KS1 101 -14839	Farina		
	588	5	PB	61 -	16/60	W/HS3 24801 -	Farina		
*	WY13c	10	ВВ	48/50	6/80	418/501 - 1598	No Horn Relay		
*	WY14c	8	ВВ	50/54	6/80	418/1599 - 25608	With Horn Relay		
*	WY63c	3	BB	54/56	6/90	Series 1	501 -6758		
*	WY64c	3	XB	57/59	6/90	Series 3	7701 - 12827		
	WY67	1	BB	59/61	6/99	W/BS1 101 -13218	No Chassis Harness		
L									
	POST	. 10	48 CAR	S (Ca	nt'd)				
I	1001.	194	70 CAK	0 (00)	mu)				

	WOLSELEY								
	Part #	Pcs	Finish	Years	Model &	Details	Identifying Features		
	WY68	2 05	PB	61/64		W/BS2 13300 -on	Mk 1. Main & Dash		
*	WY74	1	PB	65	6/110	W/BS3 24302 - on	Mk 2. Main & Dash - RHD (No Chassis)		
*	WY76	1	XB	65	6/110	W/BS3	Mk 2. Main & Dash - LHD (No Chassis)		
	1500								
*	WY18c	5	PB	57/60	1500	101 -43829	RHD/LHD		
*	WY73c	5	PB	61/64	1500	W/HS2 101 - on	RHD/LHD With Lucar Connectors		
	HORN	ET							
*	WY26c	3	РВ	61/62	Hornet Mk 1	156861 - 320612	Key Start		
*	RY30c	3	PB	62/64	Hornet Mk 2	367151 - 927472	No Oil Light (Dry Suspension)		
*	RY31c	3	РВ	65/67	Hornet Mk 3	927437 - on	Dip Switch on Floor		
*	RY33c	2	PB	67/69	Hornet Mk 3	1070204 - on	Dip Switch on Steering Column		
	1100/1.	300							
*	WY75c	3	ВВ	65/67	1100/1300 Mk 1	101 - 16960	Dip Switch on Floor		
*	WY78c	2	РВ	68/70	1300 Mk 2	21393 - on	Dip Switch on Steering Column		
	18/85				ı	I			
*	WY77c	11	XP	67	18/85	W/HS 4 5648	Mk 1 Saloon LHD		
	WY79		PP	71/72	18/85	W/HS 5 12592 - on	With Dynamo and Steering Lock Dash Harness Only		
L									